



The Michigan Profile for Healthy Youth (MiPHY) was completed by 7, 9, and 11th grade students in Michigan. The results in this report reflect student survey responses from high schools that voluntarily participated in your county and may not be representative of all high schools in the county. Characteristics of the participating districts and buildings are as follows:

| | MiPHY District Participation | | |
|--------------------------------------|--------------------------------------|---------------------|-------------------------|
| | # | Total | % |
| | Participating Districts ¹ | Districts in County | Participating Districts |
| Public | 12 | 12 | 100.0% |
| Public Districts with Private School | 5 | 5 | 100.0% |
| Public School Academy | 1 | 3 | 33.3% |
| Total ² | 13 | 15 | 86.7% |

| | MiPHY Building Participation | | |
|-----------------------|------------------------------|----------------------------------|-------------------------|
| | # | Total | % |
| | Participating Buildings | Buildings in County ³ | Participating Buildings |
| Public | 15 | 23 | 65.2% |
| Private | 0 | 4 | 0.0% |
| Public School Academy | 1 | 1 | 100.0% |
| Total | 16 | 28 | 57.1% |

¹ A district is counted as participating if at least one building takes the survey.

² Public districts may be represented in the "Public" and "Public District with Private School" categories, but are only counted once in the total.

³ Buildings that include 9th and 11th grades in the county as identified in the Educational Entity Master.

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are aggregated across district. To preserve confidentiality, names and results of individual districts are not provided in this report.

The contents of this report were developed under a grant from the United States Department of Education (Grants to States to Improve Management of Drug and Violence Prevention Programs (CFDA#84.184R)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government. Authority: 20 U.S.C. 1221e-3 and 3474



The Michigan Profile for Healthy Youth (MiPHY) was completed by 7, 9, and 11th grade students in Michigan. The results in this report reflect student survey responses from high schools that voluntarily participated in your county and may not be representative of all high school students in the county. School buildings are identified in the county by the Educational Entity Master. Characteristics of the participating high school students are as follows:

| | N | Missing | % | | N | Missing | % | | N | Missing | % |
|-------------------------|----------|----------------|----------|------------------|----------|----------------|----------|-------------------------|----------|----------------|----------|
| County (9 & 11th grade) | 2945 | 134 | 100.0% | Gender | | | | Race / Ethnicity | | | |
| | | | | Males | 1421 | 78 | 48.3% | American Indian | 39 | 1 | 1.3% |
| | | | | Females | 1509 | 53 | 51.2% | Asian | 20 | 2 | 0.7% |
| Grade | | | | Academics | | | | Black | 180 | 20 | 6.1% |
| 9th Grade | 1594 | 9 | 54.1% | As/Bs | 1877 | 61 | 63.7% | Hispanic/Latino | 187 | 16 | 6.3% |
| 11th Grade | 1351 | 16 | 45.9% | Ds/Fs | 235 | 21 | 8.0% | White | 2345 | 78 | 79.6% |

Students completed an on-line, anonymous questionnaire. Survey procedures were designed to protect the privacy of students by allowing for anonymous and voluntary participation. Local parental notification procedures were followed before survey administration.

Reports on data results are available by risk behavior and domain and are aggregated by each of the above subgroups, if possible. Results of any category are suppressed if less than 10 valid student responses are available and is identified by a "-." Comparison statewide data are provided from the Michigan Youth Risk Behavior Survey.

Notes and aggregation information:

N = Number of unweighted valid student surveys. Valid surveys are those containing at least 20 or more complete responses after data cleaning.
 Missing = number of non-valid student surveys that were removed due to data cleaning rules.
 % = the unweighted percentage of valid student surveys.

Academics uses student self-report of grades earned in school to estimate academic achievement. Students with high grades are those who report getting mostly As and mostly Bs; students with low grades are those who report getting mostly Ds and mostly Fs.

Race/ethnicity was assessed through use of two questions directly taken from the Youth Risk Behavior Survey developed by the Centers for Disease Control and Prevention. Students can select more than one race option. For this summary, students were classified as American Indian, Asian, Black (non-Hispanic), or White (non-Hispanic) if they only selected the respective group. Students were classified as Hispanic/Latino if they answered yes to, "Are you Hispanic or Latino?" Dissaggregation of the race/ethnicity categories for those who indicated, "Native Hawaiian or Other Pacific Islander" and Multiple Race (includes students who selected more than one race category and answered no, "Are you Hispanic or Latino?") has been suppressed.

The contents of this report were developed under a grant from the United States Department of Education (Grants to States to Improve Management of Drug and Violence Prevention Programs (CFDA#84.184R)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government. Authority: 20 U.S.C. 1221e-3 and 3474



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | | | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|-----------------|-----------------|-----------------|-----------------|----------------|-----------------|----------------|--------------------|---------------|-----------------|----------------|
| | 2009 YRBS ¹ | County ² | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| ATTITUDES TOWARD ALCOHOL | | | | | | | | | | | | | |
| Percentage of students who reported sort of easy or very easy to get alcohol | N/A | 68.8% (2006) | 63.0% (993) | 75.5% (1013) | 68.7% (966) | 69.1% (1034) | 69.3% (124) | 68.7% (1592) | 71.0% (132) | 66.7% (26) | 50.0% (10) | 66.6% (1241) | 80.5% (186) |
| Percentage of students who reported regular alcohol use to be a moderate or great risk | N/A | 68.9% (2008) | 69.3% (1091) | 68.5% (917) | 64.8% (913) | 72.9% (1087) | 74.9% (134) | 68.8% (1596) | 68.6% (127) | 55.3% (21) | 80.0% (16) | 75.5% (1404) | 50.0% (115) |
| Percentage of students who reported alcohol use by peers to be wrong or very wrong | N/A | 59.3% (1724) | 65.8% (1035) | 51.5% (689) | 57.8% (807) | 60.6% (907) | 59.2% (106) | 59.2% (1372) | 62.3% (114) | 54.1% (20) | 80.0% (16) | 66.3% (1231) | 35.8% (82) |
| Percentage of students who would use refusal skills when offered alcohol | N/A | 63.6% (1805) | 70.2% (1072) | 56.0% (733) | 63.4% (864) | 63.8% (932) | 69.6% (119) | 62.7% (1416) | 65.4% (119) | 67.6% (25) | 85.0% (17) | 71.0% (1298) | 41.3% (90) |
| Percentage of students who reported their parents felt regular alcohol use to be wrong or very wrong | N/A | 84.6% (2450) | 87.4% (1363) | 81.4% (1087) | 83.6% (1166) | 85.5% (1271) | 86.5% (154) | 84.9% (1956) | 83.6% (153) | 76.3% (29) | 89.5% (17) | 87.4% (1615) | 74.0% (171) |
| Percentage of students who reported they thought all of their friends had been drunk recently | N/A | 4.4% (127) | 3.2% (50) | 5.8% (77) | 4.5% (63) | 4.2% (63) | 7.9% (14) | 3.8% (88) | 6.6% (12) | 5.1% (2) | 5.0% (1) | 2.7% (51) | 11.0% (25) |
| Percentage of students who reported they thought most of their friends had been drunk recently | N/A | 17.4% (504) | 13.0% (203) | 22.5% (301) | 16.8% (235) | 17.9% (267) | 14.1% (25) | 17.6% (408) | 16.4% (30) | 10.3% (4) | 20.0% (4) | 15.0% (278) | 29.1% (66) |
| Percentage of students who reported they thought some of their friends had been drunk recently | N/A | 47.4% (1376) | 46.0% (721) | 49.0% (655) | 47.5% (666) | 47.4% (706) | 49.2% (87) | 47.3% (1094) | 48.6% (89) | 41.0% (16) | 20.0% (4) | 47.0% (872) | 41.0% (93) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|-----------------|---------------|-----------------|---------------|----------------|----------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Percentage of students who reported they thought none of their friends had been drunk recently | N/A | 30.9% (897) | 37.8% (592) | 22.8% (305) | 31.2% (437) | 30.4% (452) | 28.8% (51) | 31.3% (725) | 28.4% (52) | 43.6% (17) | 55.0% (11) | 35.3% (654) | 18.9% (43) |
| ALCOHOL | | | | | | | | | | | | | |
| Percentage of students who ever drank alcohol (lifetime) | 68.8% | 52.7% (1406) | 43.9% (635) | 63.1% (771) | 50.8% (645) | 54.6% (756) | 55.3% (84) | 52.1% (1119) | 58.6% (95) | 55.6% (20) | 25.0% (4) | 44.4% (771) | 78.0% (156) |
| Percentage of students who had their first drink of alcohol other than a few sips before age 13 years (age of onset) | 18.8% | 13.7% (366) | 16.6% (240) | 10.3% (126) | 16.9% (214) | 10.9% (151) | 15.1% (23) | 13.0% (279) | 16.0% (26) | 16.7% (6) | 12.5% (2) | 9.0% (157) | 31.0% (62) |
| Average age of first alcohol use (Note: Not a percentage) | N/A | 13.5 (1406) | 12.6 (635) | 14.2 (771) | 13.1 (645) | 13.8 (756) | 13.7 (84) | 13.5 (1119) | 13.2 (95) | 13.5 (20) | - | 13.8 (771) | 12.7 (156) |
| Percentage of students who had at least one drink of alcohol during the past 30 days (recent) | 37.0% | 28.6% (760) | 23.5% (339) | 34.7% (421) | 27.6% (349) | 29.5% (407) | 23.8% (36) | 29.0% (620) | 30.9% (50) | 36.1% (13) | 6.3% (1) | 22.7% (393) | 46.7% (93) |
| Percentage of students who have ever been drunk (lifetime) | N/A | 38.5% (1026) | 28.0% (406) | 50.9% (620) | 36.8% (466) | 40.2% (557) | 35.9% (55) | 38.9% (835) | 41.0% (66) | 36.1% (13) | 20.0% (3) | 30.6% (531) | 67.0% (134) |
| Percentage of students who got drunk for the first time before age 13 years (age of onset) | N/A | 5.6% (150) | 6.7% (97) | 4.4% (53) | 7.5% (95) | 3.9% (54) | 5.9% (9) | 5.6% (120) | 7.5% (12) | 5.6% (2) | 13.3% (2) | 3.2% (56) | 18.5% (37) |
| Average age of first time being drunk (Note: Not a percentage) | N/A | 14.1 (1026) | 13.2 (406) | 14.7 (620) | 13.9 (466) | 14.3 (557) | 14.3 (55) | 14.1 (835) | 14.0 (66) | 14.5 (13) | - | 14.4 (531) | 13.3 (134) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|-------------|----------------|---------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days (binge) | 23.2% | 18.8% (502) | 13.5% (196) | 25.1% (306) | 20.2% (257) | 17.5% (242) | 16.3% (25) | 19.6% (421) | 17.3% (28) | 25.0% (9) | 6.3% (1) | 14.0% (242) | 32.7% (65) |
| Percentage of students who had at least one drink of alcohol on school property during the past 30 days | 3.7% | 1.8% (49) | 1.6% (23) | 2.1% (26) | 2.1% (27) | 1.6% (22) | 3.3% (5) | 1.9% (40) | 0.6% (1) | 0.0% (0) | 0.0% (0) | 1.0% (17) | 7.5% (15) |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it in a store or gas station during the past 30 days | 6.0% | 3.3% (25) | 1.8% (6) | 4.5% (19) | 4.6% (16) | 2.2% (9) | 16.7% (6) | 2.1% (13) | 4.0% (2) | 15.4% (2) | - | 3.3% (13) | 2.2% (2) |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it at a restaurant, bar, or club during the past 30 days | 2.0% | 1.2% (9) | 1.5% (5) | 1.0% (4) | 2.0% (7) | 0.5% (2) | 0.0% (0) | 1.3% (8) | 2.0% (1) | 0.0% (0) | - | 1.8% (7) | 0.0% (0) |
| Among students who drank recently, the percentage who usually got their own alcohol by buying it at a public event such as a concert or sporting event during the past 30 days | 2.0% | 0.4% (3) | 0.0% (0) | 0.7% (3) | 0.6% (2) | 0.2% (1) | 0.0% (0) | 0.3% (2) | 2.0% (1) | 0.0% (0) | - | 0.3% (1) | 1.1% (1) |
| Among students who drank recently, the percentage who usually got their own alcohol by giving someone else money to buy it during the past 30 days | 30.0% | 27.4% (207) | 18.8% (63) | 34.3% (144) | 27.4% (95) | 27.4% (111) | 25.0% (9) | 28.2% (174) | 22.0% (11) | 23.1% (3) | - | 25.6% (100) | 29.0% (27) |
| Among students who drank recently, the percentage who usually got their own alcohol by someone giving it to them during the past 30 days | 32.0% | 38.5% (291) | 38.4% (129) | 38.6% (162) | 34.6% (120) | 41.7% (169) | 30.6% (11) | 39.3% (242) | 34.0% (17) | 46.2% (6) | - | 43.5% (170) | 34.4% (32) |
| Among students who drank recently, the percentage who usually got their own alcohol by taking it from a store during the past 30 days | N/A | 0.5% (4) | 0.9% (3) | 0.2% (1) | 0.6% (2) | 0.5% (2) | 2.8% (1) | 0.3% (2) | 0.0% (0) | 0.0% (0) | - | 0.5% (2) | 0.0% (0) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|-----------------|-----------------|-----------------|-----------------|----------------|-----------------|----------------|-----------------|---------------|-----------------|----------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Among students who drank recently, the percentage who usually got their own alcohol by taking it from a family member during the past 30 days | N/A | 11.6% (88) | 17.3% (58) | 7.1% (30) | 10.4% (36) | 12.6% (51) | 0.0% (0) | 12.5% (77) | 12.0% (6) | 7.7% (1) | - | 12.8% (50) | 9.7% (9) |
| Among students who drank recently, the percentage who usually got their own alcohol by some other way than the question options provided during the past 30 days | 20.0% | 17.1% (129) | 21.4% (72) | 13.6% (57) | 19.9% (69) | 14.8% (60) | 25.0% (9) | 15.9% (98) | 24.0% (12) | 7.7% (1) | - | 12.3% (48) | 23.7% (22) |
| Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days | 27.5% | 22.6% (666) | 22.0% (350) | 23.4% (316) | 23.6% (335) | 21.9% (330) | 26.1% (47) | 22.2% (521) | 22.6% (42) | 30.8% (12) | 20.0% (4) | 17.6% (331) | 40.0% (94) |
| Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days | 8.4% | 6.1% (180) | 4.1% (66) | 8.5% (114) | 7.5% (106) | 4.9% (74) | 7.8% (14) | 5.8% (136) | 5.9% (11) | 7.7% (3) | 15.0% (3) | 3.8% (72) | 12.3% (29) |
| ATTITUDES TOWARD OTHER DRUGS | | | | | | | | | | | | | |
| Percentage of students who reported sort of easy or very easy to get marijuana | N/A | 56.4% (1636) | 47.6% (745) | 66.7% (891) | 60.8% (852) | 52.4% (779) | 68.9% (122) | 54.3% (1251) | 61.1% (113) | 59.0% (23) | 40.0% (8) | 49.7% (922) | 74.5% (172) |
| Percentage of students who reported regular marijuana use to be a moderate or great risk | N/A | 67.3% (1961) | 72.0% (1132) | 61.8% (829) | 60.2% (847) | 74.1% (1105) | 56.2% (100) | 69.2% (1605) | 60.8% (113) | 56.4% (22) | 90.0% (18) | 76.7% (1427) | 41.1% (95) |
| Percent of students who reported methamphetamine use to be a moderate or great risk | N/A | 74.3% (2159) | 70.9% (1111) | 78.3% (1048) | 73.9% (1037) | 74.7% (1113) | 68.9% (122) | 75.1% (1738) | 70.7% (130) | 76.9% (30) | 78.9% (15) | 77.9% (1449) | 63.6% (145) |
| Percentage of students who reported marijuana use by peers to be wrong or very wrong | N/A | 66.2% (1919) | 72.5% (1136) | 58.8% (783) | 61.3% (853) | 70.9% (1056) | 60.3% (108) | 67.4% (1553) | 62.3% (114) | 64.9% (24) | 80.0% (16) | 75.6% (1398) | 37.1% (85) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|---|---------------------------|---------------------|-----------------|-----------------|-----------------|-----------------|----------------|-----------------|----------------|-----------------|---------------|-----------------|----------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Percentage of students who have at least one best friend who made a commitment to stay drug free during the past year | N/A | 68.9% (1946) | 70.5% (1073) | 67.1% (873) | 65.8% (889) | 72.1% (1051) | 62.2% (107) | 70.4% (1585) | 66.1% (119) | 44.4% (16) | 72.2% (13) | 74.3% (1350) | 52.7% (116) |
| Percentage of students who reported their parents felt marijuana use to be wrong or very wrong | N/A | 90.0% (2597) | 92.4% (1432) | 87.3% (1165) | 88.8% (1234) | 91.1% (1349) | 86.9% (152) | 90.8% (2086) | 90.1% (164) | 78.9% (30) | 94.7% (18) | 93.7% (1724) | 72.2% (166) |
| Percentage of students who reported they thought all of their friends had used marijuana recently | N/A | 6.1% (178) | 4.7% (73) | 7.8% (105) | 6.8% (95) | 5.5% (82) | 10.1% (18) | 5.4% (126) | 7.7% (14) | 7.7% (3) | 5.0% (1) | 3.1% (58) | 16.7% (38) |
| Percentage of students who reported they thought most of their friends had used marijuana recently | N/A | 16.2% (470) | 14.0% (219) | 18.7% (251) | 17.1% (239) | 15.4% (230) | 20.7% (37) | 15.8% (366) | 18.2% (33) | 20.5% (8) | 5.0% (1) | 12.1% (224) | 30.3% (69) |
| Percentage of students who reported they thought some of their friends had used marijuana recently | N/A | 37.6% (1092) | 36.3% (568) | 39.1% (524) | 40.8% (571) | 34.6% (516) | 38.0% (68) | 37.1% (860) | 39.8% (72) | 23.1% (9) | 30.0% (6) | 37.8% (700) | 28.9% (66) |
| Percentage of students who reported they thought none of their friends had used marijuana recently | N/A | 40.1% (1164) | 45.0% (705) | 34.3% (459) | 35.3% (494) | 44.4% (662) | 31.3% (56) | 41.6% (963) | 34.3% (62) | 48.7% (19) | 60.0% (12) | 47.0% (871) | 24.1% (55) |
| OTHER DRUGS | | | | | | | | | | | | | |
| Percentage of students who ever tried marijuana (lifetime) | 36.5% | 34.3% (989) | 26.6% (416) | 43.3% (573) | 37.0% (509) | 31.9% (477) | 45.1% (79) | 33.1% (762) | 37.0% (67) | 25.6% (10) | 16.7% (3) | 24.1% (446) | 65.3% (147) |
| Percentage of students who tried marijuana before age 13 years (age of onset) | 7.9% | 7.7% (222) | 7.4% (115) | 8.1% (107) | 10.5% (144) | 5.2% (78) | 12.6% (22) | 7.1% (163) | 9.9% (18) | 7.7% (3) | 11.1% (2) | 3.1% (57) | 26.2% (59) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|---|---------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|-------------|----------------|----------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Average age of first marijuana use (Note: Not a percentage) | N/A | 13.7 (989) | 12.9 (416) | 14.2 (573) | 13.3 (509) | 14.1 (477) | 13.5 (79) | 13.7 (762) | 13.5 (67) | 12.9 (10) | - | 14.2 (446) | 12.7 (147) |
| Percentage of students who used marijuana during the past 30 days (recent) | 20.7% | 18.7% (542) | 15.3% (240) | 22.8% (302) | 20.4% (283) | 17.2% (257) | 23.6% (41) | 18.5% (427) | 17.0% (31) | 20.5% (8) | 5.3% (1) | 11.1% (205) | 49.1% (110) |
| Percentage of students who used marijuana on school property during the past 30 days | 4.8% | 2.0% (59) | 1.3% (21) | 2.9% (38) | 3.2% (44) | 1.0% (15) | 2.9% (5) | 2.1% (49) | 0.6% (1) | 7.7% (3) | 0.0% (0) | 0.6% (12) | 9.4% (21) |
| Percentage of students who used any form of cocaine during the past 30 days (recent) | 2.9% | 1.5% (44) | 1.1% (18) | 2.0% (26) | 1.5% (21) | 1.5% (22) | 1.1% (2) | 1.6% (37) | 0.5% (1) | 5.3% (2) | 0.0% (0) | 0.8% (14) | 4.9% (11) |
| Percentage of students who have taken barbiturates without a doctor's prescription during the past 30 days (recent) | 5.5% | 3.1% (89) | 3.0% (48) | 3.1% (41) | 3.5% (49) | 2.7% (40) | 0.0% (0) | 3.3% (76) | 3.3% (6) | 5.1% (2) | 0.0% (0) | 1.3% (25) | 12.4% (28) |
| Percentage of students who used heroin one or more times during the past 30 days (recent) | 3.4% | 0.6% (17) | 0.4% (7) | 0.8% (10) | 0.9% (12) | 0.3% (4) | 0.6% (1) | 0.6% (14) | 0.5% (1) | 0.0% (0) | 0.0% (0) | 0.3% (5) | 3.1% (7) |
| Percentage of students who used club drugs one or more times during the past 30 days (recent) | 4.4% | 2.2% (63) | 1.9% (30) | 2.5% (33) | 2.3% (32) | 2.0% (30) | 1.1% (2) | 2.2% (51) | 3.3% (6) | 7.9% (3) | 0.0% (0) | 1.1% (21) | 8.1% (18) |
| Percentage of students who sniffed glue, or breathed the contents of spray cans, or inhaled any paints or sprays to get high during the past 30 days (recent) | N/A | 2.9% (84) | 3.8% (59) | 1.9% (25) | 3.0% (42) | 2.7% (41) | 0.6% (1) | 3.3% (76) | 3.3% (6) | 0.0% (0) | 0.0% (0) | 1.8% (34) | 10.3% (23) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|--------------|----------------|----------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| Percentage of students who used methamphetamines one or more times during the past 30 days (recent) | N/A | 0.8% (24) | 0.8% (12) | 0.9% (12) | 0.9% (13) | 0.7% (11) | 0.6% (1) | 0.9% (21) | 1.1% (2) | 0.0% (0) | 0.0% (0) | 0.5% (9) | 2.7% (6) |
| Percentage of students who used steroids one or more times during the past 30 days (recent) | 3.2% | 0.8% (24) | 0.8% (13) | 0.8% (11) | 1.2% (17) | 0.5% (7) | 1.1% (2) | 0.7% (17) | 1.6% (3) | 2.6% (1) | 0.0% (0) | 0.5% (9) | 1.3% (3) |
| Percentage of students who used a needle to inject any illegal drug into their body one or more times during the past 30 days | N/A | 0.3% (10) | 0.3% (5) | 0.4% (5) | 0.6% (8) | 0.1% (2) | 0.0% (0) | 0.4% (10) | 0.0% (0) | 0.0% (0) | 0.0% (0) | 0.2% (4) | 1.3% (3) |
| Percentage of students who took a prescription drug such as Ritalin, Adoral, or Xanax without a doctor's prescription during the past 30 days | N/A | 5.6% (162) | 4.7% (73) | 6.7% (89) | 5.9% (82) | 5.4% (80) | 4.0% (7) | 6.0% (139) | 3.8% (7) | 7.7% (3) | 0.0% (0) | 3.3% (61) | 16.6% (36) |
| Percentage of students who took painkillers such as OxyContin, Codeine, Percocet, or Tylenol III without a doctor's prescription during the past 30 days | N/A | 10.3% (298) | 10.0% (156) | 10.7% (142) | 10.3% (143) | 10.3% (154) | 9.2% (16) | 10.3% (237) | 12.7% (23) | 20.5% (8) | 0.0% (0) | 7.1% (132) | 23.5% (52) |
| Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months | 29.5% | 19.2% (533) | 19.7% (293) | 18.6% (240) | 24.4% (324) | 14.4% (206) | 22.0% (37) | 18.4% (407) | 22.9% (40) | 30.6% (11) | 10.0% (2) | 16.5% (295) | 35.8% (77) |
| GAMBLING | | | | | | | | | | | | | |
| Percentage of students who made bets or gambled during the past 30 days | N/A | 19.5% (570) | 16.2% (256) | 23.5% (314) | 21.7% (306) | 17.5% (262) | 24.4% (43) | 19.1% (446) | 19.3% (36) | 20.5% (8) | 5.0% (1) | 11.5% (214) | 50.4% (117) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|---------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|--------------|----------------|---------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| SOCIAL NORMS: ALCOHOL | | | | | | | | | | | | | |
| Percentage of students that think none (0%) of the students in their grade drank alcohol sometime in the past month? | N/A | 7.0% (200) | 8.6% (132) | 5.2% (68) | 9.8% (135) | 4.2% (61) | 12.1% (21) | 6.1% (138) | 10.9% (20) | 16.2% (6) | 20.0% (4) | 4.8% (88) | 7.7% (17) |
| Percentage of students that think few (1-10%) of the students in their grade drank alcohol sometime in the past month? | N/A | 7.1% (202) | 10.0% (153) | 3.7% (49) | 8.7% (120) | 5.5% (81) | 11.0% (19) | 7.1% (160) | 3.8% (7) | 5.4% (2) | 10.0% (2) | 6.3% (116) | 9.5% (21) |
| Percentage of students that think some (11-30%) of the students in their grade drank alcohol sometime in the past month? | N/A | 15.1% (430) | 17.6% (270) | 12.2% (160) | 16.8% (231) | 13.5% (198) | 11.0% (19) | 15.7% (357) | 12.6% (23) | 8.1% (3) | 25.0% (5) | 15.9% (291) | 9.0% (20) |
| Percentage of students that think half or less (31-50%) of the students in their grade drank alcohol sometime in the past month? | N/A | 22.7% (646) | 22.6% (347) | 22.7% (299) | 24.3% (334) | 21.2% (310) | 19.7% (34) | 22.9% (520) | 26.2% (48) | 21.6% (8) | 20.0% (4) | 24.3% (445) | 21.3% (47) |
| Percentage of students that think half or more (51-70%) of the students in their grade drank alcohol sometime in the past month? | N/A | 25.6% (729) | 23.1% (355) | 28.4% (374) | 23.7% (325) | 27.4% (400) | 22.0% (38) | 25.9% (587) | 22.4% (41) | 18.9% (7) | 15.0% (3) | 27.4% (502) | 22.2% (49) |
| Percentage of students that think most (71-90%) of the students in their grade drank alcohol sometime in the past month? | N/A | 18.0% (514) | 14.6% (224) | 22.1% (290) | 13.1% (180) | 22.8% (333) | 15.0% (26) | 18.3% (414) | 16.9% (31) | 21.6% (8) | 10.0% (2) | 18.4% (336) | 21.7% (48) |
| Percentage of students that think almost all (91-100%) of the students in their grade drank alcohol sometime in the past month? | N/A | 4.5% (129) | 3.5% (54) | 5.7% (75) | 3.6% (49) | 5.4% (79) | 9.2% (16) | 4.0% (91) | 7.1% (13) | 8.1% (3) | 0.0% (0) | 2.9% (53) | 8.6% (19) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|---|------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|--------------|----------------|---------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| SOCIAL NORMS: MARIJUANA | | | | | | | | | | | | | |
| Percentage of students that think none (0%) of the students in their grade used marijuana sometime in the past month? | N/A | 8.8% (249) | 11.6% (178) | 5.4% (71) | 11.4% (156) | 6.1% (89) | 14.0% (24) | 8.0% (181) | 12.0% (22) | 16.2% (6) | 20.0% (4) | 6.7% (122) | 8.2% (18) |
| Percentage of students that think few (1-10%) of the students in their grade used marijuana sometime in the past month? | N/A | 14.3% (408) | 17.0% (261) | 11.2% (147) | 14.7% (202) | 14.0% (204) | 9.9% (17) | 15.4% (348) | 10.4% (19) | 8.1% (3) | 30.0% (6) | 16.7% (306) | 12.3% (27) |
| Percentage of students that think some (11-30%) of the students in their grade used marijuana sometime in the past month? | N/A | 20.2% (575) | 20.4% (313) | 20.0% (262) | 21.3% (292) | 19.4% (283) | 8.8% (15) | 21.4% (485) | 21.3% (39) | 21.6% (8) | 15.0% (3) | 23.1% (422) | 13.6% (30) |
| Percentage of students that think half or less (31-50%) of the students in their grade used marijuana sometime in the past month? | N/A | 18.4% (523) | 17.8% (273) | 19.1% (250) | 19.4% (267) | 17.4% (254) | 14.0% (24) | 18.8% (425) | 15.8% (29) | 24.3% (9) | 25.0% (5) | 19.8% (362) | 10.9% (24) |
| Percentage of students that think half or more (51-70%) of the students in their grade used marijuana sometime in the past month? | N/A | 19.2% (546) | 17.3% (265) | 21.4% (281) | 17.3% (237) | 21.0% (306) | 22.8% (39) | 18.8% (425) | 15.8% (29) | 8.1% (3) | 10.0% (2) | 18.1% (331) | 17.7% (39) |
| Percentage of students that think most (71-90%) of the students in their grade used marijuana sometime in the past month? | N/A | 14.4% (410) | 11.9% (183) | 17.3% (227) | 11.8% (162) | 16.9% (246) | 19.3% (33) | 13.3% (301) | 20.2% (37) | 18.9% (7) | 0.0% (0) | 13.1% (239) | 24.1% (53) |
| Percentage of students that think almost all (91-100%) of the students in their grade used marijuana sometime in the past month? | N/A | 4.7% (134) | 3.9% (60) | 5.6% (74) | 4.2% (57) | 5.2% (76) | 11.1% (19) | 4.4% (99) | 4.4% (8) | 2.7% (1) | 0.0% (0) | 2.6% (47) | 13.2% (29) |



Alcohol and Other Drugs

% = unweighted percentage of reported response. (n) = number of students with reported response.

| | 2009 YRBS ¹ | County ² | Grade | | Gender | | Race/Ethnicity | | | | | Academics | |
|--|------------------------|---------------------|----------------|----------------|----------------|----------------|----------------|----------------|---------------|-----------------|--------------|----------------|---------------|
| | | | 9 | 11 | M | F | Black | White | Hispanic | American Indian | Asian | As/Bs | Ds/Fs |
| SOCIAL NORMS: ILLEGAL DRUG | | | | | | | | | | | | | |
| Percentage of students that think none (0%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 13.2% (375) | 16.4% (250) | 9.5% (125) | 16.9% (231) | 9.6% (140) | 17.4% (30) | 12.3% (278) | 18.1% (33) | 19.4% (7) | 25.0% (5) | 10.6% (193) | 16.3% (36) |
| Percentage of students that think few (1-10%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 31.1% (882) | 31.0% (473) | 31.2% (409) | 33.6% (458) | 28.9% (422) | 27.3% (47) | 32.8% (740) | 23.6% (43) | 16.7% (6) | 30.0% (6) | 34.6% (630) | 22.6% (50) |
| Percentage of students that think some (11-30%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 22.0% (624) | 20.3% (310) | 24.0% (314) | 21.4% (292) | 22.3% (326) | 14.5% (25) | 22.3% (504) | 22.0% (40) | 22.2% (8) | 25.0% (5) | 23.5% (428) | 17.6% (39) |
| Percentage of students that think half or less (31-50%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 14.6% (415) | 14.8% (226) | 14.4% (189) | 12.7% (174) | 16.4% (240) | 15.1% (26) | 14.4% (326) | 14.3% (26) | 13.9% (5) | 20.0% (4) | 15.4% (281) | 10.9% (24) |
| Percentage of students that think half or more (51-70%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 10.1% (288) | 9.3% (142) | 11.1% (146) | 8.2% (112) | 12.1% (176) | 10.5% (18) | 10.0% (227) | 9.3% (17) | 13.9% (5) | 0.0% (0) | 9.5% (173) | 13.6% (30) |
| Percentage of students that think most (71-90%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 6.4% (183) | 6.0% (92) | 6.9% (91) | 4.8% (65) | 8.1% (118) | 9.3% (16) | 5.8% (132) | 8.8% (16) | 13.9% (5) | 0.0% (0) | 5.2% (95) | 11.8% (26) |
| Percentage of students that think almost all (91-100%) of the students in their grade used an illegal drug in the past month (not including marijuana)? | N/A | 2.5% (71) | 2.3% (35) | 2.7% (36) | 2.4% (33) | 2.5% (37) | 5.8% (10) | 2.3% (52) | 3.8% (7) | 0.0% (0) | 0.0% (0) | 1.3% (23) | 7.2% (16) |

For additional Michigan Profile for Healthy Youth information, please log on to www.michigan.gov/miphy

¹ 2009 Michigan Youth Risk Behavior Survey. For additional information on the YRBS results, please go to www.michigan.gov/yrbs.

² County percentages are representative of the combined results as reported by 9th and 11th graders in participating buildings.

N/A = Data not available

- = Data suppressed due to fewer than 10 valid student surveys

The contents of this report were developed under a grant from the United States Department of Education (Grants to States to Improve Management of Drug and Violence Prevention Programs (CFDA#84.184R)). However, those contents do not necessarily represent the policy of the United States Department of Education, and you should not assume endorsement by the Federal Government.

Authority: 20 U.S.C. 1221e-3 and 3474